Ferritic Piping Solutions

sales@ferropipe.com

FerroPipE

Seamless Tubes

ASTM A209 Grade T1a

ALLOY STEEL

Seamless carbon-molybdenum alloy steel boiler and superheater tubes

Material Description

ASTM A209 Grade T1a Alloy Steel Seamless Tubes are Carbon Steel Tubes with subsequent addition of chromium, molybdenum and sometimes vanadium are known as chrome moly Tubes.ASTM Specification alloy steel Tubes are used for high temperature service applications.Seamless Alloy Steel Tubes according to ASTM A209 Grade T1a are reheated and furnished in full annlealed,isothermal annealed or normalised quenched and tempered condition.ASTM A209 Grade T1a Alloy Steel Seamless Tubes have a typical chemistry with additions of 0.44-0.65 Molybdenum.Bearing minimum tensile strength of 365 Mpa ASTM A209 Grade T1a Tubes have a minimum yield strength of 195 Mpa.

Chemical Properties

Carbon	Silicon	Manganese	Phosphorous	Sulphur	Molybdenum	Nickel	Chromium	Copper	Other Elements
0.15-0.25	0.10-0.50	0.30-0.80	0.025	0.025	0.44-0.65	-	-	-	-

Mechanical Properties

Yeild Stress (O.2% Offset)		Tensile Strength			Elongation
min MPa	min MPa	min MPa	max MPa	min ksi	A5 min
195	30	365	-	53	30

Production Programme

The diameter, tolerances and surface finish of component are the same as those stated for the full length tube.
Outer diameter: 6.25-1800mm Nominal Dia: 1/4"-72"
Schedule: 10 - XXS / Thk 1mm-150mm
Single random Lengths: 4-7 meters
Double random Lengths: 7-13 meters
Chamfering can be done at fixed lengths.
Pipes are externally varnished with black paint or Bare.
Hot deep Galvanised Pipes with threaded ends are provided.

Certifications

Pipes and Tubes manufactured as per ASTM A209 Grade T1a are certified with En 10204 Type 3.1/3.2. IBR,NACE,HIC,IGC,IMPACT are adhered as supplementary testing requirements.

Product Marking

Each Pipe/tube is marked with tube type, heat number, steel grade and size. Other markings, such as stamping, can be made on request.

Reference Documents

A 1016/A 1016M

Related Keywords

Alloy Steel Tubing, Chrome Moly Tubing, Alloy Steel Seamless Tubing, Astm A209 Grade T1A Seamless Tubing, T1A Tubing, Seamless Steel Tubing, Ferritic Alloy Steel Tubing, Astm A209 Seamless Tubing

Equivalent Designation

European Standard	DIN Specification
-	DIN 17175 Grade 16Mo5
ASME Specification	ASTM Specification
ASME SA 209 Grade T1a	ASTM A209 GradeT1a
British Standard	Japanese Standard
BS 3606 Grade 245	-

Pipes Make: ISMT, MSL, JSL, TATA, BHUSHAN, JINDAL, SUMITOMO, TENARIS, ARCELOR MITTAL

Copyright 2015 FerroPipe