

Ferritic Piping Solutions

sales@ferropipe.com

FerroPipe

Seamless Tubes

DIN 17204 Grade Ck35

CARBON
STEEL

Seamless steel circular quenched and tempered tubes

Material Description

DIN 17204 Grade Ck35 Carbon Steel Seamless Tubes are Medium Carbon Steel Tubes with 0.32-0.39 % carbon content with combination of 0.50-0.80 % manganese. DIN 17204 Grade Ck35 Carbon Steel Seamless Tubes are most commonly used for general purpose applications worldwide. DIN 17204 Grade Ck35 Tubes are ductile and strong Tubes with long wearing properties. These Tubes are manufactured as per DIN Specification and commercially referred as carbon steel Tubes.

Chemical Properties

Carbon	Silicon	Manganese	Phosphorous	Sulphur	Molybdenum	Nickel	Chromium	Copper	Other Elements
0.32-0.39	max 0.40	0.50-0.80	0.035	0.035	-	-	-	-	-

Mechanical Properties

Yield Stress (0.2% Offset)		Tensile Strength			Elongation
min MPa	min MPa	min MPa	max MPa	min ksi	A5 min
300	-	520	670	-	17

Production Programme

The diameter, tolerances and surface finish of component are the same as those stated for the full length tube.
Outer diameter: 6.25-1800mm Nominal Dia: 1/4"-72"
Schedule: 10 - XXS / Thk 1mm-150mm
Single random Lengths: 4-7 meters
Double random Lengths: 7-13 meters
Chamfering can be done at fixed lengths.
Pipes are externally varnished with black paint or Bare.
Hot deep Galvanised Pipes with threaded ends are provided.

Certifications

Pipes and Tubes manufactured as per DIN 17204 Grade Ck35 are certified with En 10204 Type 3.1/3.2. IBR, NACE, HIC, IGC, IMPACT are adhered as supplementary testing requirements.

Product Marking

Each Pipe/tube is marked with tube type, heat number, steel grade and size. Other markings, such as stamping, can be made on request.

Reference Documents

-

Related Keywords

Carbon Steel Tube, Ferritic Steel Tube, Carbon Steel Seamless Tube, Din 17204 Grade Ck35 Seamless Tube, Ck35 Tube, Seamless Steel Tube, Ferritic Carbon Steel Tube, Din 17204 Seamless Tube, Seamless Tube, Steel Tube

Equivalent Designation

European Standard EN 10083-1 : 1991 Grade C35E	DIN Specification DIN 17204 Grade Ck35
ASME Specification ASME SA 519 Grade 1035	ASTM Specification ASTM A519 Grade 1035
British Standard BS 6323 Grade CFS 6	Japanese Standard -

Pipes Make: ISMT, MSL, JSL, TATA, BHUSHAN, JINDAL, SUMITOMO, TENARIS, ARCELOR MITTAL

#4/217, Deccan Bank Bldg,
R. R. Roy Road,
Mumbai – 400 004.
Maharashtra, INDIA

India's Largest Stockist & Dealers of Carbon Steel Pipes & Alloy Steel Pipes

sales@ferropipe.com
00-91-22-66157017
www.FerroPipe.com
Copyright 2015 FerroPipe